

# DISCLAIMER

**Chatham Steel Co.** does not produce or test any item described in this reference manual. All information contained in this book is founded upon data provided to Chatham Steel Co. by manufacturers of the described products. The information is intended for general reference only and should not be substituted for professional expertise which is necessary for any specific application. Chatham Steel Co. does not make any express nor implied warranty regarding the data contained in this book. Anyone making use of this information or materials must do so at his own risk and assumes any responsibility for loss or damage that may result.

*Serving Industry Since 1915*

January 2008

# STAINLESS STEEL SHEETS

## TYPE 304, 304L, 316, 316L

**No. 2B Finish — Cold Rolled, Annealed**    **\*No. 2D Finish**  
**No. 3 Finish — Polished One Side**    **No. 4 Finish — Polished One Side**

Stainless Steel Gauge, Width, and Length	Weight Lbs. per Sq. Ft.	Est. Wt. per Sheet
<b>7 Ga. (.1874")</b>		
48 x 96	7.871	251.9
48 x 120	7.871	314.8
48 x 144	7.871	377.8
<b>10 Ga. (.135")</b>		
36 x 120	5.670	170.1
48 x 96	5.670	181.4
48 x 120	5.670	226.8
60 x 120*	5.670	283.5
60 x 144*	5.670	340.2
72 x 120*	5.670	340.2
<b>11 Ga. (.120")</b>		
36 x 96	5.040	121.0
36 x 120	5.040	151.2
36 x 144	5.040	181.4
48 x 96	5.040	161.3
48 x 120	5.040	201.6
48 x 144	5.040	241.9
60 x 120	5.040	252.0
60 x 144	5.040	302.4
72 x 120*	5.040	302.4
72 x 144*	5.040	362.9
<b>12 Ga. (.105")</b>		
36 x 96	4.410	105.8
36 x 120	4.410	132.3
36 x 144	4.410	158.8
42 x 120	4.410	154.4
48 x 96	4.410	141.1
48 x 120	4.410	176.4
48 x 144	4.410	211.7
60 x 96	4.410	176.4
60 x 120	4.410	220.5
60 x 144	4.410	264.6
72 x 120*	4.410	264.6
72 x 144*	4.410	317.5

# STAINLESS STEEL SHEETS (continued)

## TYPE 304, 304L, 316, 316L

**No. 2B Finish — Cold Rolled, Annealed**      \***No. 2D Finish**  
**No. 3 Finish — Polished One Side**      **No. 4 Finish — Polished One Side**

Stainless Steel Gauge, Width, and Length	Weight Lbs. per Sq. Ft.	Est. Wt. per Sheet
<b>13 Ga. (.090")</b>		
36 x 96	3.780	90.72
36 x 120	3.780	113.4
48 x 120	3.780	151.2
<b>14 Ga. (.075")</b>		
30 x 120	3.150	78.75
36 x 96	3.150	75.60
36 x 120	3.150	94.50
36 x 144	3.150	113.4
42 x 120	3.150	110.3
42 x 144	3.150	132.3
48 x 96	3.150	100.8
48 x 120	3.150	126.0
48 x 144	3.150	151.2
60 x 120	3.150	157.5
60 x 144	3.150	189.0
72 x 120	3.150	189.0
72 x 144	3.150	226.8
<b>16 Ga. (.060")</b>		
30 x 96	2.520	50.40
30 x 120	2.520	63.00
36 x 96	2.520	60.48
36 x 120	2.520	75.60
36 x 144	2.520	90.72
42 x 120	2.520	88.20
48 x 96	2.520	80.64
48 x 120	2.520	100.8
48 x 144	2.520	121.0
60 x 96	2.520	100.8
60 x 120	2.520	126.0
60 x 144	2.520	151.2

# STAINLESS STEEL SHEETS (continued)

## TYPE 304, 304L, 316, 316L

No. 2B Finish — Cold Rolled, Annealed    \*No. 2D Finish  
 No. 3 Finish — Polished One Side    No. 4 Finish — Polished One Side

Stainless Steel Gauge, Width, and Length	Weight Lbs. per Sq. Ft.	Est. Wt. per Sheet
<b>18 Ga. (.048")</b>		
30 x 96	2.016	40.32
30 x 120	2.016	50.40
36 x 96	2.016	48.38
36 x 120	2.016	60.48
36 x 144	2.016	72.58
42 x 120	2.016	70.56
48 x 96	2.016	64.51
48 x 120	2.016	80.64
48 x 144	2.016	96.77
60 x 120	2.016	100.8
60 x 144	2.016	121.0
<b>19 Ga. (.042")</b>		
36 x 120	1.764	52.92
<b>20 Ga. (.036")</b>		
30 x 96	1.512	30.24
30 x 120	1.512	37.80
36 x 96	1.512	36.29
36 x 120	1.512	45.36
36 x 144	1.512	54.43
42 x 120	1.512	52.92
48 x 96	1.512	48.38
48 x 120	1.512	60.48
48 x 144	1.512	72.58
<b>22 Ga. (.030")</b>		
30 x 96	1.260	25.20
30 x 120	1.260	31.50
36 x 96	1.260	30.24
36 x 120	1.260	37.80
36 x 144	1.260	45.36
48 x 96	1.260	40.32
48 x 120	1.260	50.40

# STAINLESS STEEL SHEETS (continued)

## TYPE 304, 304L, 316, 316L

No. 2B Finish — Cold Rolled, Annealed    \*No. 2D Finish  
 No. 3 Finish — Polished One Side    No. 4 Finish — Polished One Side

Stainless Steel Gauge, Width, and Length	Weight Lbs. per Sq. Ft.	Est. Wt. per Sheet
<b>24 Ga. (.024")</b>		
30 x 96	1.008	20.16
30 x 120	1.008	25.20
36 x 96	1.008	24.19
36 x 120	1.008	30.24
48 x 96	1.008	32.26
48 x 120	1.008	40.32
<b>26 Ga. (.018")</b>		
30 x 96	.7560	15.12
30 x 120	.7560	18.90
36 x 96	.7560	18.14
36 x 120	.7560	22.68
48 x 96	.7560	24.19
48 x 120	.7560	30.24
<b>28 Ga. (.015")</b>		
36 x 96	.630	15.12
36 x 120	.630	18.90

## EXPANDED STAINLESS SHEETS

### TYPE 304 & 316 - FLATTENED

Long way of diamond runs parallel to length of sheet.

#### Sizes in Stock

Style Designation	Size in Inches	Wt. Per Sq. Ft. in lbs.	Wt. Per Sheet	Style Designation	Size in Inches	Wt. Per Sq. Ft. in lbs.	Wt. Per Sheet
¾ 9	48 x 96	1.95	62.4	¾ 13	48 x 96	0.86	27.5
½ 13	48 x 96	1.78	56.9	¾ 16	48 x 96	0.57	18.2
½ 16	48 x 96	0.86	27.5	¾ 18	48 x 96	0.46	14.7
½ 18	48 x 96	0.69	22.1	1½ 13	48 x 96	0.65	20.8
1½ 9	48 x 96	1.31	41.9				

# STAINLESS PLATES

## TYPE 304, 304L, 316 AND 316L

**Hot Rolled, Annealed and Pickled**

Thickness and Size in Inches	Est. Wt. per Sq. Ft. in Lbs.	Thickness and Size in Inches	Est. Wt. per Sq. Ft. in Lbs.
3/16.....48	8.579	1/2 .....48	21.660
60	8.579	60	21.660
72	8.579	72	21.660
84	8.579	84	21.660
96	8.579	96	21.660
120	8.579	120	21.660
1/4 .....48	11.160	5/8 .....96	26.830
60	11.160	3/4 .....96	32.120
72	11.160	7/8 .....96	37.290
84	11.160	1 .....60	42.670
96	11.160	96	42.670
120	11.160	1 1/8 .....96	47.830
5/16.....48	13.750	1 1/4 .....96	53.000
60	13.750	1 1/2 .....96	63.34
84	13.750	1 3/4 .....96	73.67
96	13.750	2 .....96	84.01
120	13.750	2 1/2 .....96	105.10
3/8 .....48	16.500	3 .....96	126.3
60	16.500	3 1/4 .....96	136.6
72	16.500	3 1/2 .....96	147.0
84	16.500	3 3/4 .....96	157.3
96	16.500	4 .....96	167.6
120	16.500		

# STAINLESS DIAMOND FLOOR PLATES

## 304/316L

**Hot Rolled, Annealed and Pickled**  
**ASTM A793-85-Identification Color: Green**

**Sizes in Stock**

Thickness and Width in Inches	St. Per Sq. Ft. in Lbs.	304	316L
3/16...48	8.70	X	
3/16...60	8.70	X	
1/4...48	11.25	X	X
1/4...60	11.25	X	
3/8...48	16.70	X	

## STAINLESS ROUND BAR

### TYPE 303, 304, 316

Size in Inches	Est. Wt. Per Ft. Pounds	Est. Wt. 12' Bar	Size in Inches	Est. Wt. Per Ft. Pounds	Est. Wt. 12' Bar
3/4	1.502	18.02	2 1/2	12.06	144.7
13/16	1.763	21.16	2 1/4	13.52	162.2
7/8	2.045	24.54	2 3/8	15.06	180.7
15/16	2.347	28.16	2 1/2	15.87	190.4
1	2.670	32.04	2 1/2	16.69	200.3
1 1/16	3.015	36.18	2 3/4	18.40	220.8
1 1/8	3.380	40.56	2 3/4	20.19	242.3
1 1/4	3.766	45.19	2 3/4	22.07	264.8
1 1/2	4.173	50.08	3	24.03	288.4
1 5/8	4.600	55.20	3 1/8	26.08	313.0
1 3/4	5.049	60.59	3 1/4	28.21	338.5
1 7/8	5.518	66.22	3 1/2	30.42	365.0
2	6.008	72.10	3 1/2	32.71	392.5
2 1/16	7.052	84.62	3 3/4	37.55	450.6
2 1/8	7.604	91.25	4	42.73	512.8
2 1/4	8.178	98.14	4 1/4	48.23	578.8
2 1/2	9.388	112.7	4 1/2	54.08	649.0
2 3/4	10.02	120.2	4 3/4	60.25	723.0
3	10.68	128.2	5	66.76	801.1

## STAINLESS SQUARE BAR

### TYPE 304, 316

**Cold Finished**

Size in Inches	Est. Wt. Per Ft. Pounds	Est. Wt. 12' Bar	Size in Inches	Est. Wt. Per Ft. Pounds	Est. Wt. 12' Bar
3/8	.0531	.6372	3/4	1.913	22.96
7/16	.1195	1.434	7/8	2.603	31.24
1/2	.2125	2.550	1	3.400	40.80
5/8	.3320	3.984	1 1/8	4.303	51.64
3/4	.4781	5.737	1 1/4	5.313	63.76
7/8	.6508	7.810	1 1/2	7.650	91.80
1	.8500	10.20	1 3/4	10.41	124.9
1 1/8	1.076	12.91	2	13.60	163.2
1 1/4	1.328	15.94			

# STAINLESS FLATS

## TYPE 304, 316 — Annealed and Pickled

Size in Inches	Est. Wt. Per Ft. Pounds	Est. Wt. 12' Bar	Size in Inches	Est. Wt. Per Ft. Pounds	Est. Wt. 12' Bar
$\frac{1}{8}$ x $\frac{1}{2}$	.2125	2.550			
$\frac{1}{4}$	.2656	3.187	$\frac{3}{8}$ x $\frac{1}{2}$	.6375	7.650
$\frac{3}{8}$	.3188	3.826	$\frac{1}{2}$	9.563	11.48
1	.4250	5.100	1	1.275	15.30
1 $\frac{1}{4}$	.5313	6.376	1 $\frac{1}{4}$	1.594	19.30
1 $\frac{1}{2}$	.6375	7.650	1 $\frac{1}{2}$	1.913	22.96
2	.8500	10.20	1 $\frac{3}{4}$	2.231	26.77
2 $\frac{1}{2}$	1.063	12.76	2	2.550	30.60
3	1.275	15.30	2 $\frac{1}{2}$	3.188	38.26
$\frac{3}{16}$ x $\frac{1}{2}$	.3188	3.826	3	3.825	45.90
$\frac{1}{2}$	.3984	4.781	4	5.100	61.20
$\frac{3}{4}$	.4781	5.737	5	6.375	76.50
1	.6375	7.650	6	7.650	91.80
1 $\frac{1}{4}$	.7969	9.563	$\frac{1}{2}$ x $\frac{3}{4}$	1.275	15.30
1 $\frac{1}{2}$	.9563	11.48	1	1.700	20.40
1 $\frac{3}{4}$	1.116	13.39	1 $\frac{1}{4}$	2.125	25.50
2	1.275	15.30	1 $\frac{1}{2}$	2.550	30.60
2 $\frac{1}{2}$	1.594	19.13	1 $\frac{3}{4}$	2.975	35.70
3	1.913	22.96	2	3.400	40.80
$\frac{1}{4}$ x $\frac{1}{2}$	.4250	5.100	2 $\frac{1}{2}$	4.250	51.00
$\frac{3}{8}$	.5313	6.376	3	5.100	61.20
$\frac{1}{2}$	.6375	7.650	3 $\frac{1}{2}$	5.950	71.40
1	.8500	10.20	4	6.800	81.60
1 $\frac{1}{4}$	1.063	12.76	4 $\frac{1}{2}$	7.650	91.80
1 $\frac{1}{2}$	1.275	15.30	5	8.500	102.0
1 $\frac{3}{4}$	1.488	17.86	6	10.20	122.4
2	1.700	20.40	$\frac{5}{8}$ x $\frac{3}{4}$	1.594	19.13
2 $\frac{1}{2}$	2.125	25.50	1	2.125	25.50
3	2.550	30.60	1 $\frac{1}{2}$	3.188	38.26
4	3.400	40.80	2	4.250	51.00
6	5.100	61.20	2 $\frac{1}{2}$	5.313	63.76

## STAINLESS FLATS (continued)

### TYPE 304, 316 — Annealed and Pickled

Size in Inches	Est. Wt. Per Ft. Pounds	Est. Wt. 12' Bar	Size in Inches	Est. Wt. Per Ft. Pounds	Est. Wt. 12' Bar
$\frac{3}{8}$ x 3	6.375	76.50	4	10.20	122.4
$\frac{3}{8}$	7.438	89.26	5	12.75	153.0
4	8.500	10.20	6	15.30	183.6
6	12.75	153.0	1 x $\frac{1}{2}$	5.100	61.20
$\frac{3}{4}$ x 1	2.550	30.60	$\frac{1}{4}$	5.950	71.40
$\frac{1}{4}$	3.188	38.26	2	6.800	81.60
$\frac{1}{2}$	3.825	45.90	$2\frac{1}{2}$	8.500	102.0
2	5.100	61.20	3	10.20	122.4
$2\frac{1}{2}$	6.375	76.50	4	13.60	163.2
3	7.650	91.80	6	20.40	244.8

## STAINLESS ANGLES

### TYPE 304, 304L, 316, and 316L

Size in Inches	Est. Wt. per Ft. in Lbs.	Size in Inches	Est. Wt. per Ft. in Lbs.
$\frac{3}{4}$ x $\frac{3}{4}$ x $\frac{1}{2}$	.590	$2\frac{1}{2}$ x $2\frac{1}{2}$ x $\frac{3}{8}$	3.07
1 x 1 x $\frac{1}{2}$	.800	$2\frac{1}{2}$ x $2\frac{1}{2}$ x $\frac{1}{4}$	4.10
1 x 1 x $\frac{3}{8}$	1.16	$2\frac{1}{2}$ x $2\frac{1}{2}$ x $\frac{3}{8}$	5.90
1 x 1 x $\frac{1}{4}$	1.49	3 x 2 x $\frac{3}{8}$	3.07
$1\frac{1}{4}$ x $1\frac{1}{4}$ x $\frac{1}{2}$	1.01	3 x 2 x $\frac{1}{4}$	4.10
$1\frac{1}{4}$ x $1\frac{1}{4}$ x $\frac{3}{8}$	1.48	3 x 3 x $\frac{1}{4}$	4.90
$1\frac{1}{4}$ x $1\frac{1}{4}$ x $\frac{1}{4}$	1.92	3 x 3 x $\frac{3}{8}$	6.10
$1\frac{1}{2}$ x $1\frac{1}{2}$ x $\frac{1}{2}$	1.23	3 x 3 x $\frac{1}{2}$	7.20
$1\frac{1}{2}$ x $1\frac{1}{2}$ x $\frac{3}{8}$	1.80	$3\frac{1}{2}$ x $3\frac{1}{2}$ x $\frac{1}{4}$	5.80
$1\frac{1}{2}$ x $1\frac{1}{2}$ x $\frac{1}{4}$	2.34	4 x 3 x $\frac{1}{4}$	5.80
2 x 2 x $\frac{1}{2}$	1.65	4 x 3 x $\frac{3}{8}$	8.50
2 x 2 x $\frac{3}{8}$	2.44	4 x 4 x $\frac{1}{4}$	6.60
2 x 2 x $\frac{1}{4}$	3.19	4 x 4 x $\frac{3}{8}$	9.80
2 x 2 x $\frac{3}{16}$	4.70	5 x 3 x $\frac{3}{8}$	9.85

# WELDED STAINLESS PIPE

## TYPE 304    TYPE 316

**Schedule 40 — Standard IPS**  
**Cold Finished, Annealed and Pickled**  
**17-24 Ft. Random Lengths — ASTM A312**

Iron Pipe Size In.	Diameter Inches		Wall Thickness Inches	Wt. Per Ft. Lbs.
	O.D.	I.D.		
¼	.405	.269	.068	.2447
½	.540	.364	.088	.4248
¾	.675	.493	.091	.5676
1	.840	.622	.109	.8510
1½	1.050	.824	.113	1.131
2	1.315	1.049	.133	1.679
2½	1.660	1.380	.140	2.273
3	1.900	1.610	.145	2.718
3½	2.375	2.067	.154	3.653
4	2.875	2.469	.203	5.793
5	3.500	3.068	.216	7.576
6	4.000	3.548	.226	9.109
8	4.500	4.026	.237	10.79
10	5.563	5.047	.258	14.62
12	6.625	6.065	.280	18.97

# WELDED EXTRA HEAVY STAINLESS PIPE TYPE 304

**Schedule 80 — Extra Heavy IPS  
Cold Finished, Annealed and Pickled  
17-24 Ft. Random Lengths — ASTM A312**

Ex. Hv. Pipe Size Inches	Diameter Inches		Wall Thickness Inches	Wt. Per Ft. Lbs.
	O.D.	I.D.		
¼	.405	.215	.095	.3145
¼	.540	.302	.119	.5351
¾	.675	.423	.126	.7388
½	.840	.546	.147	1.088
¾	1.050	.742	.154	1.474
1	1.315	.957	.179	2.172
1¼	1.660	1.278	.191	2.997
1½	1.900	1.500	.200	3.631
2	2.375	1.939	.218	5.022
2½*	2.875	2.323	.276	7.66
3 *	3.500	2.900	.300	10.25
3½*	4.000	3.364	.318	12.51
4 *	4.500	3.826	.337	14.98
5 *	5.563	4.813	.375	20.78

\*These sizes are Seamless.

# STAINLESS TUBING

## WELDED TYPE 304

Round, Square and Rectangular  
Ornamental/Structural Grade - Mill Finish  
Identification Color: Green  
20 Ft. Lengths

### Sizes in Stock

Outside Dimension in Inches	Wall Thickness Gauge	Wall Thickness Decimal	Weight per Ft. in Lbs.	
<b>Round</b>				
¾	20	.035	.2673	
	18	.049	.3668	
	16	.065	.4755	
	13	.095	.6646	
	11	.120	.8074	
½	20	.035	.3140	
	18	.049	.4323	
	16	.065	.5623	
	11	.120	.9676	
1	20	.035	.3607	
	18	.049	.4977	
	16	.065	.6491	
	14	.083	.8129	
	11	.120	1.128	
	¾	.188	1.630	
1½	16	.065	.7359	
1¼	20	.035	.4542	
	18	.049	.6285	
	16	.065	.8226	
	14	.083	1.035	
	11	.120	1.448	
	¾	.250	2.670	
	1½	16	.065	.9094
	1⅜	20	.035	.5476
18		.049	.7593	
16		.065	.9962	
14		.083	1.256	
11		.120	1.769	

# STAINLESS TUBING (continued)

## WELDED TYPE 304

Round, Square and Rectangular  
Ornamental/Structural Grade - Mill Finish  
Identification Color: Green  
20 Ft. Lengths

### Sizes in Stock

Outside Dimension in Inches	Wall Thickness Gauge	Wall Thickness Decimal	Weight per Ft. in Lbs.
<b>Round</b>			
	$\frac{3}{16}$	.188	2.634
	$\frac{1}{4}$	.250	3.338
*1 $\frac{1}{8}$	16	.065	1.083
1 $\frac{1}{4}$	20	.035	.6411
	18	.049	.8902
	16	.065	1.170
	11	.120	2.089
	$\frac{3}{8}$	.188	3.136
2	20	.035	.7345
	18	.049	1.021
	16	.065	1.343
*Polished			

# STAINLESS TUBING (continued)

## WELDED TYPE 304

Round, Square and Rectangular  
Ornamental/Structural Grade - Mill Finish  
Identification Color: Green  
20 Ft. Lengths

### Sizes in Stock

Outside Dimension in Inches	Wall Thickness Gauge	Wall Thickness Decimal	Weight per Ft. in Lbs.
<b>Square</b>			
1	18	0.0490	0.630
	16	0.0650	0.827
1¼	11	0.1200	1.436
	16	0.0650	1.050
	14	0.0830	1.317
1½	11	0.1200	1.844
	16	0.0650	1.270
	14	0.0830	1.610
	11	0.1200	2.255
1¾	7	0.1800	3.630
	14	0.0830	1.880
	2	0.0650	1.710
2	14	0.083	2.164
	11	0.1200	3.068
	7	0.1800	4.455
	⅝	0.1880	4.460
	¼	0.2500	6.010
2½	7	0.1800	5.680
3	14	0.0830	3.293
	11	0.1200	4.700
	7	0.1800	6.903
	⅝	0.1880	6.900
	¼	0.2500	10.00
4	11	0.1200	6.260
	7	0.1800	9.270
	⅝	0.1880	9.270
	¼	0.2500	12.68

# STAINLESS TUBING (continued)

## WELDED TYPE 304

Round, Square and Rectangular  
Ornamental/Structural Grade - Mill Finish  
Identification Color: Green  
20 Ft. Lengths

### Sizes in Stock

Outside Dimension in Inches	Wall Thickness Gauge	Wall Thickness Decimal	Weight per Ft. in Lbs.
<b>Rectangular</b>			
1½ x 1	11	0.1200	1.929
2 x 1	16	0.0650	1.270
2 x 1	11	0.1200	2.252
3 x 2	11	0.1200	3.884
3 x 2	7	0.1800	5.679
4 x 2	11	0.1200	4.700
4 x 2	7	0.1800	6.903
4 x 2	¼	0.2500	10.00
4 x 3	7	0.1800	8.127
6 x 2	7	0.1800	9.270
6 x 2	¼	0.2500	12.68
4 x 3	¼	0.2500	10.89
5 x 3	7	0.1800	9.270
5 x 3	¼	0.2500	12.68
6 x 3	7	0.1800	10.52
6 x 4	7	0.1800	11.90
6 x 4	¼	0.2500	16.35

# NICKEL ALLOYS

Nickel-chromium-iron alloys developed for use in severely corrosive environments at elevated temperatures.

## C 600

ASTM B168

ASME SB168

### *Chemical Composition (Nominal Analysis, Percent)*

Nickel-Chromium-iron alloys developed for use in severely corrosive environments at elevated temperatures. Resistant to dry Cl<sub>2</sub> and HCl gases at moderately elevated temperatures. Good high-temperature strength and oxidation resistance to 2150° (1175°C). Especially useful in carburizing environments. Resists chloride-ion stress-corrosion cracking.

Carbon, max. ....	0.15	Copper, max. ....	0.5
Manganese, max. ....	1.0	Iron .....	6.0-10.0
Silicon, max. ....	0.4	Chromium .....	14.0-17.0
Sulfur, max. ....	0.015	Nickel (plus Cobalt), min. ....	72.0

Typical Tensile Strength, ksi .....38.0

Yield Strength, 0.2% Offset, ksi .....41.0

## C 601

ASTM B168

ASME SB168

Nickel-chromium-iron alloy exhibiting out-standing resistance to both cyclic and static oxidation to 2300°F (1260°C). High tensile, yield and creep-rupture strengths at high temperatures. Excellent resistance to stress-corrosion cracking, carburizing, nitriding and sulfur containing environments.

Carbon, max. ....	0.10	Chromium .....	21.0-25.0
Manganese, max. ....	1.0	Nickel .....	58.0-63.0
Silicon, max. ....	0.50	Titanium .....	0.10-0.60
Sulfur, max. ....	0.015	Aluminum.....	1.0-1.7
Copper, max. ....	1.0	Iron.....	Remainder
Boron, Max. ....	0.006		

Typical Tensile Strength, ksi .....43.0

Yield Strength, 0.2% Offset, ksi .....35.0

**CHATHAM STEEL  
A COMPLETE CARBON & STAINLESS  
STEEL SERVICE CENTER**

---

STRUCTURAL AND BAR SHAPES

PLATES - Carbon, Alloy, Stainless, Aluminum

BARS - Hot Rolled, Cold Finished, Stainless, Aluminum

SHEETS - Black, Galvanized, Stainless, Aluminum

PIPE AND TUBING - Carbon, Alloy, Stainless, Aluminum

EXPANDED METAL AND BAR GRATING - Carbon and Stainless

FIBERGLASS GRATING

WIRE MESH AND WIRE ROPE

**PROCESSING**

SAWING - Square & Mitre

SHEARING - Braking, Forming

CUTTING - Flame, Plasma, Laser

PUNCHING, DRILLING & MACHINING

TEE SPLITTING & STRAIGHTENING

---

*Serving Industry since 1915*