



TUBING

CARBON STEEL TUBING

SQUARE

A513 T-1

Nominal Size	Wall (Gauge/Decimal)	Wall (Inches)	Wt/ft
½ x ½	16GA	.065	.3840
	18GA	.049	.4671
	16GA	.065	.6049
	15GA	.075	.6789
	14GA	.083	.7529
1 x 1	18GA	.049	.6285
	16GA	.065	.8226
	15GA	.075	.9086
	14GA	.083	1.034
	13GA	.095	1.172
	12GA	.109	1.328
	11GA	.120	1.448
1½ x 1½	18GA	.049	.7170
	16GA	.065	.9370
	15GA	.075	1.057
	14GA	.083	1.317
	13GA	.095	1.492
	12GA	.109	1.691
	11GA	.120	1.844
1¼ x 1¼	18GA	.049	.8003
	16GA	.065	1.047
	15GA	.075	1.182
	14GA	.083	1.317
	13GA	.095	1.492
	12GA	.109	1.691
	11GA	.120	1.844
	⅜	.190	2.40
	1½ x 1½	18GA	.049
16GA		.065	1.257
15GA		.073	1.398
14GA		.083	1.589
13GA		.095	1.806
12GA		.109	2.056
11GA		.120	2.249
⅜		.188* A500	3.04
¼		.250* A500	4.25
A500	Decimals	Inches	
2 x 2	.1250	½	3.05
	.1875	⅜	4.32
	.2500	¼	5.41
	.3125	⅜	7.18
2½ x 2½	.1250	½	3.90
	.1875	⅜	5.59
	.2500	¼	7.11
	.3125	⅜	8.43
3x 3	.1250	½	4.75
	.1875	⅜	6.87
	.2500	¼	8.81
	.3125	⅜	10.58
	.3750	¾	12.17

CARBON STEEL TUBING

SQUARE — Continued

A500-B or GRADE B/C

Nominal Size	Wall (decimals inches)	Wall (Inches)	Wt/ft.
3½ x 3½	.1250	¼	5.61
	.1875	⅜	8.15
	.2500	½	10.51
	.3125	⅝	12.70
	.3750	¾	14.71
4 x 4	.1250	¼	6.46
	.1875	⅜	9.42
	.2500	½	12.21
	.3125	⅝	14.83
	.3750	¾	17.30
	.5000	½	21.61
4½ x 4½	.1875	⅜	10.70
	.2500	½	13.91
	.3130	⅝	16.96
	.3750	¾	19.82
5 x 5	.1875	⅜	11.97
	.2500	½	15.62
	.3125	⅝	19.08
	.3750	¾	22.37
	.5000	½	28.43
5½ x 5½	.1875	⅜	13.25
	.2500	½	17.32
	.3125	⅝	21.21
	.3750	¾	29.43
	.5000	½	31.84
6 x 6	.1875	⅜	14.53
	.2500	½	19.02
	.3125	⅝	23.34
	.3750	¾	27.48
	.5000	½	35.24
	.6250	¾	42.30
7 x 7	.1875	⅜	17.08
	.2500	½	22.42
	.3125	⅝	27.59
	.3750	¾	32.58
	.5000	½	42.05
	.6250	¾	50.81
8 x 8	.1875	⅜	19.63
	.2500	½	25.82
	.3125	⅝	31.84
	.3750	¾	37.70
	.5000	½	48.85
	.6250	¾	59.32

CARBON STEEL TUBING

SQUARE — Continued

A500-B or GRADE B/C

Nominal Size	Wall (decimals inches)	Wall (Inches)	Wt./ft.	
9 x 9	.1875	$\frac{3}{16}$	22.18	
	.2500	$\frac{1}{4}$	29.23	
	.3125	$\frac{5}{16}$	36.10	
	.3750	$\frac{3}{8}$	42.79	
	.5000	$\frac{1}{2}$	55.66	
	.6250	$\frac{5}{8}$	67.82	
10 x 10	.1875	$\frac{3}{16}$	24.73	
	.2500	$\frac{1}{4}$	32.63	
	.3125	$\frac{5}{16}$	40.35	
	.3750	$\frac{3}{8}$	47.90	
	.5000	$\frac{1}{2}$	62.46	
	.6250	$\frac{5}{8}$	76.33	
12 x 12	.7500	$\frac{3}{4}$	89.50	
	.2500	$\frac{1}{4}$	39.43	
	.3125	$\frac{5}{16}$	48.86	
	.3750	$\frac{3}{8}$	58.10	
	.5000	$\frac{1}{2}$	76.07	
	.6250	$\frac{5}{8}$	93.36	
14 x 14	.7500	$\frac{3}{4}$	110.00	
	.3125	$\frac{5}{16}$	57.36	
	.3750	$\frac{3}{8}$	68.31	
	.5000	$\frac{1}{2}$	89.68	
	.6250	$\frac{5}{8}$	110.36	
	.7500	$\frac{3}{4}$	130.00	
16 x 16	.8750	$\frac{7}{8}$	149.00	
	.3125	$\frac{5}{16}$	65.87	
	.3750	$\frac{3}{8}$	78.52	
	.5000	$\frac{1}{2}$	103.30	
	.6250	$\frac{5}{8}$	127.37	
	.7500	$\frac{3}{4}$	151.00	
18 x 18	.8750	$\frac{7}{8}$	173.00	
	.5000	$\frac{1}{2}$	117.00	
	.6250	$\frac{5}{8}$	144.00	
	.7500	$\frac{3}{4}$	171.00	
	.8750	$\frac{7}{8}$	197.00	
	20 x 20	.5000	$\frac{1}{2}$	130.00
.6250		$\frac{5}{8}$	161.00	
.7500		$\frac{3}{4}$	191.00	
.8750		$\frac{7}{8}$	220.00	
22 x 22		.7500	$\frac{3}{4}$	212.00
		.8750	$\frac{7}{8}$	245.00

CARBON STEEL TUBING

RECTANGULAR

A500-B or GRADE B/C

Nominal Size	Wall (decimals)	Wall (decimal/inches)	Wt/ft.
2 x 1	18GA.	.049	.955
	16GA.*	.065	1.257
	15GA.*	.075	1.434
	14GA.*	.083	1.589
	13GA.*	.095	1.806
	12GA.*	.109	2.056
	11GA.	.120	2.252
2 x 1½	.1880	¾	3.040
	11GA.	.120	2.630
2½ x 1½	.1880	¾	3.680
	16GA.*	.0625	1.711
2½ x 2	14GA.*	.083	2.164
	11GA.	.120	3.480
	.1880	¾	4.960
	.2500	¾	6.260
	11GA.	.120	3.450
3 x 1	.1880	¾	4.960
	.2500	¾	6.260
	16GA.*	.0625	1.711
3 x 1½	14GA.*	.0830	2.164
	11GA.	.120	3.050
	14GA.*	.083	2.246
3 x 2	.1250	½	3.480
	.1875	⅝	4.970
	.2500	¾	6.250
	14GA.*	.083	2.278
	.1250	½	3.900
3½ x 2½	.1875	⅝	5.590
	.2500	¾	7.110
	.3125	⅞	8.430
	.1250	½	4.750
	.1880	¾	6.870
4 x 1½	.2500	¾	8.810
	.1250	½	4.330
	.1880	¾	6.230
	.2500	¾	7.960
4 x 2	14GA.*	.083	3.293
	.1250	½	4.750
	.1875	⅝	6.870
	.2500	¾	8.810
	.3125	⅞	10.580
	.3750	¾	12.17
	14GA.*	.083	3.293
4 x 2½	.1250	½	5.180
	.1880	¾	7.510
	.2500	¾	9.660
4 x 3	.1250	½	5.610
	.1875	⅝	8.150
	.2500	¾	10.510
	.3125	⅞	12.700
	.3750	¾	14.720
5 x 2	.1250	½	5.610
	.1875	⅝	8.150
	.2500	¾	10.510
	.3125	⅞	12.700
	.3750	¾	14.710
5 x 2½	.1250	½	6.030
	.1880	¾	8.780
	.2500	¾	11.360
5 x 3	.1250	½	6.46
	.1875	⅝	9.42
	.2500	¾	12.21
	.3125	⅞	14.83
	.3750	¾	17.27
	.5000	¾	21.63

CARBON STEEL TUBING

RECTANGULAR — Continued

A500-B or GRADE B/C

Nominal Size	Decimals	Inches	Wt./ft.
5 x 4	.1875	$\frac{3}{16}$	10.70
	.2500	$\frac{1}{4}$	13.91
	.3125	$\frac{5}{16}$	16.96
	.3750	$\frac{3}{8}$	19.82
	.5000	$\frac{1}{2}$	25.03
6 x 2	.1250	$\frac{1}{8}$	6.46
	.1875	$\frac{3}{16}$	9.42
	.2500	$\frac{1}{4}$	12.21
	.3125	$\frac{5}{16}$	14.83
	.3750	$\frac{3}{8}$	17.27
6 x 3	.1875	$\frac{3}{16}$	10.70
	.2500	$\frac{1}{4}$	13.91
	.3125	$\frac{5}{16}$	16.96
	.3750	$\frac{3}{8}$	19.82
	.5000	$\frac{1}{2}$	25.03
6 x 4	.1875	$\frac{3}{16}$	11.97
	.2500	$\frac{1}{4}$	15.62
	.3125	$\frac{5}{16}$	19.08
	.3750	$\frac{3}{8}$	22.37
	.5000	$\frac{1}{2}$	28.43
6 x 5	.1875	$\frac{3}{16}$	13.25
	.2500	$\frac{1}{4}$	17.32
	.3125	$\frac{5}{16}$	21.21
	.3750	$\frac{3}{8}$	24.93
	.5000	$\frac{1}{2}$	31.84
7 x 3	.1875	$\frac{3}{16}$	11.97
	.2500	$\frac{1}{4}$	15.62
	.3125	$\frac{5}{16}$	19.08
	.3750	$\frac{3}{8}$	22.37
	.5000	$\frac{1}{2}$	28.43
7 x 4	.1875	$\frac{3}{16}$	13.25
	.2500	$\frac{1}{4}$	17.32
	.3125	$\frac{5}{16}$	21.21
	.3750	$\frac{3}{8}$	24.93
	.5000	$\frac{1}{2}$	31.84
7 x 5	.1875	$\frac{3}{16}$	14.53
	.2500	$\frac{1}{4}$	19.02
	.3125	$\frac{5}{16}$	23.34
	.3750	$\frac{3}{8}$	27.48
	.5000	$\frac{1}{2}$	35.24
8 x 2	.1875	$\frac{3}{16}$	11.97
	.2500	$\frac{1}{4}$	15.62
	.3125	$\frac{5}{16}$	19.08
	.3750	$\frac{3}{8}$	22.37
	.5000	$\frac{1}{2}$	28.43
8 x 3	.1875	$\frac{3}{16}$	13.25
	.2500	$\frac{1}{4}$	17.32
	.3125	$\frac{5}{16}$	21.21
	.3750	$\frac{3}{8}$	24.93
	.5000	$\frac{1}{2}$	31.84
8 x 4	.1875	$\frac{3}{16}$	14.53
	.2500	$\frac{1}{4}$	19.02
	.3125	$\frac{5}{16}$	23.34
	.3750	$\frac{3}{8}$	27.48
	.5000	$\frac{1}{2}$	35.24
8 x 6	.6250	$\frac{5}{8}$	42.30
	.1875	$\frac{3}{16}$	17.08
	.2500	$\frac{1}{4}$	22.42
	.3125	$\frac{5}{16}$	27.59
	.3750	$\frac{3}{8}$	32.58
9 x 3	.5000	$\frac{1}{2}$	42.05
	.6250	$\frac{5}{8}$	50.81
	.1875	$\frac{3}{16}$	14.53
	.2500	$\frac{1}{4}$	19.02
	.3125	$\frac{5}{16}$	23.34
9 x 4	.3750	$\frac{3}{8}$	27.48
	.5000	$\frac{1}{2}$	35.24

CARBON STEEL TUBING

RECTANGULAR — Continued

A500-B or GRADE B/C

Nominal Size	Decimals	Inches	Wt./ft.
9 x 5	.1875	$\frac{3}{16}$	17.08
	.2500	$\frac{1}{4}$	22.42
	.3125	$\frac{5}{16}$	27.59
	.3750	$\frac{3}{8}$	32.58
	.5000	$\frac{1}{2}$	42.05
	.6250	$\frac{5}{8}$	50.81
9 x 7	.1875	$\frac{3}{16}$	19.63
	.2500	$\frac{1}{4}$	25.82
	.3125	$\frac{5}{16}$	31.84
	.3750	$\frac{3}{8}$	37.69
	.5000	$\frac{1}{2}$	48.85
	.6250	$\frac{5}{8}$	59.32
10 x 2	.1875	$\frac{3}{16}$	14.53
	.2500	$\frac{1}{4}$	19.02
	.3125	$\frac{5}{16}$	23.34
	.3750	$\frac{3}{8}$	27.48
10 x 3	.1880	$\frac{3}{16}$	15.80
	.2500	$\frac{1}{4}$	20.72
	.3130	$\frac{5}{16}$	25.46
	.3750	$\frac{3}{8}$	30.03
10 x 4	.1875	$\frac{3}{16}$	17.08
	.2500	$\frac{1}{4}$	22.42
	.3125	$\frac{5}{16}$	27.59
	.3750	$\frac{3}{8}$	32.58
	.5000	$\frac{1}{2}$	42.05
	.6250	$\frac{5}{8}$	50.81
10 x 5	.1880	$\frac{3}{16}$	18.35
	.2500	$\frac{1}{4}$	24.12
	.3130	$\frac{5}{16}$	29.72
	.3750	$\frac{3}{8}$	35.13
	.5000	$\frac{1}{2}$	45.45
	.6250	$\frac{5}{8}$	55.06
10 x 6	.1875	$\frac{3}{16}$	19.63
	.2500	$\frac{1}{4}$	25.82
	.3125	$\frac{5}{16}$	31.84
	.3750	$\frac{3}{8}$	37.69
	.5000	$\frac{1}{2}$	48.85
	.6250	$\frac{5}{8}$	59.32
10 x 8	.1875	$\frac{3}{16}$	22.18
	.2500	$\frac{1}{4}$	29.23
	.3125	$\frac{5}{16}$	36.10
	.3750	$\frac{3}{8}$	42.79
	.5000	$\frac{1}{2}$	55.66
	.6250	$\frac{5}{8}$	67.82
12 x 2	.1880	$\frac{3}{16}$	17.08
	.2500	$\frac{1}{4}$	22.42
	.3130	$\frac{5}{16}$	27.59
12 x 3	.1880	$\frac{3}{16}$	18.35
	.2500	$\frac{1}{4}$	24.12
	.3130	$\frac{5}{16}$	29.72
12 x 4	.1875	$\frac{3}{16}$	19.63
	.2500	$\frac{1}{4}$	25.82
	.3125	$\frac{5}{16}$	31.84
	.3750	$\frac{3}{8}$	37.69
	.5000	$\frac{1}{2}$	48.85
	.6250	$\frac{5}{8}$	59.32
12 x 6	.1875	$\frac{3}{16}$	22.18
	.2500	$\frac{1}{4}$	29.23
	.3125	$\frac{5}{16}$	36.10
	.3750	$\frac{3}{8}$	42.79
	.5000	$\frac{1}{2}$	55.66
	.6250	$\frac{5}{8}$	67.82

CARBON STEEL TUBING

RECTANGULAR — Continued

A500-B or GRADE B/C

Nominal Size	Decimals	Inches	Wt./ft.	
12 x 8	.1875	$\frac{3}{16}$	24.73	
	.2500	$\frac{1}{4}$	32.63	
	.3125	$\frac{5}{16}$	40.35	
	.3750	$\frac{3}{8}$	47.90	
	.5000	$\frac{1}{2}$	62.46	
	.6250	$\frac{5}{8}$	76.33	
12 x 10	.2500	$\frac{1}{4}$	36.03	
	.3125	$\frac{5}{16}$	44.60	
	.3750	$\frac{3}{8}$	53.00	
	.5000	$\frac{1}{2}$	69.27	
	.6250	$\frac{5}{8}$	84.84	
	14 x 4	.1875	$\frac{3}{16}$	22.18
.2500		$\frac{1}{4}$	29.23	
.3125		$\frac{5}{16}$	36.10	
.3750		$\frac{3}{8}$	42.79	
.5000		$\frac{1}{2}$	55.66	
.6250		$\frac{5}{8}$	67.82	
14 x 6	.2500	$\frac{1}{4}$	32.63	
	.3125	$\frac{5}{16}$	40.35	
	.3750	$\frac{3}{8}$	47.90	
	.5000	$\frac{1}{2}$	62.46	
	.6250	$\frac{5}{8}$	76.33	
	14 x 10	.2500	$\frac{1}{4}$	39.43
.3125		$\frac{5}{16}$	48.86	
.3750		$\frac{3}{8}$	58.10	
.5000		$\frac{1}{2}$	76.07	
.6250		$\frac{5}{8}$	93.36	
16 x 4		.2500	$\frac{1}{4}$	32.63
	.3125	$\frac{5}{16}$	40.35	
	.3750	$\frac{3}{8}$	47.90	
	.5000	$\frac{1}{2}$	62.46	
	.6250	$\frac{5}{8}$	76.33	
	16 x 8	.2500	$\frac{1}{4}$	39.43
.3125		$\frac{5}{16}$	48.86	
.3750		$\frac{3}{8}$	58.10	
.5000		$\frac{1}{2}$	76.07	
.6250		$\frac{5}{8}$	93.34	
16 x 12		.3125	$\frac{5}{16}$	57.36
	.3750	$\frac{3}{8}$	68.31	
	.5000	$\frac{1}{2}$	89.68	
	.6250	$\frac{5}{8}$	110.56	
	.7500	$\frac{3}{4}$	130.00	
	18 x 6	.2500	$\frac{1}{4}$	39.43
.3125		$\frac{5}{16}$	48.86	
.3750		$\frac{3}{8}$	58.10	
.5000		$\frac{1}{2}$	76.07	
.6250		$\frac{5}{8}$	93.36	
20 x 4		.2500	$\frac{1}{4}$	39.43
	.3125	$\frac{5}{16}$	48.86	
	.3500	$\frac{3}{8}$	58.10	
	.5000	$\frac{1}{2}$	76.07	
	20 x 8	.3125	$\frac{5}{16}$	57.36
		.3750	$\frac{3}{8}$	68.31
.5000		$\frac{1}{2}$	89.68	
.6250		$\frac{5}{8}$	110.36	
20 x 12		.3125	$\frac{5}{16}$	65.87
		.3750	$\frac{3}{8}$	78.52
	.5000	$\frac{1}{2}$	103.30	
	.6250	$\frac{5}{8}$	127.37	
	.7500	$\frac{3}{4}$	151.00	
	24 x 12	.5000	$\frac{1}{2}$	117.00
.6250		$\frac{5}{8}$	144.00	
.7500		$\frac{3}{4}$	171.00	

A-500 Grade B


Min. Tensile Strength 58,000 — Min. Yield Strength 46,000


CARBON STEEL TUBING ROUND

Nominal Size	Wall	Wt/ft	Nominal Size	Wall	Wt/ft
¾ OD	16	.3888	13	13	1.426
	15	.4252		12	1.619
	14	.4805		11	1.769
¾ OD	18	.3668	1 ¼ OD	20	.6411
	16	.4755		18	.8902
	15	.5214		16	1.170
	14	.5913		15	1.290
	13	.6646		14	1.478
¾ OD	18	.4323		13	1.679
	16	.5623		12	1.910
	15	.6175		11	2.089
1 OD	18	.4977	2 OD	20	.7345
		.6491		18	1.021
		.7236	16	1.343	
		.8129	15	1.483	
		.9182	14	1.699	
		1.037	13	1.933	
		1.128	12	2.201	
			11	2.409	
1 ⅛ OD	18	.5306	2 ¼	18	1.152
		.6928		16	1.517
		.7620		15	1.675
		.8687		14	1.921
		.9821		13	2.186
1 ¼ OD	20	.4074	2 ½ OD	12	2.492
		.5631		11	2.730
		.7359		16	1.690
		.8096		15	1.867
		.9237		14	2.143
		1.045	13	2.440	
		1.183	12	2.783	
		1.288	11	3.050	
1 ½	20	.4542	2 ¾	16	1.863
		.6285		15	2.059
		.8226		14	2.364
		.9057		13	2.693
		1.034	12	3.047	
		1.172	11	3.370	
		1.328	3 OD	16	2.037
1.448	15	2.252			
	14	2.586			
1 ½	20	.5476	4 OD	13	2.947
		.7593		12	3.365
		.9962		11	3.691
		1.097			
		1.256			


JUMBO HSS SQUARE

JUMBO HSS RECTANGLE

SHAPE 	DESIGN WALL THICKNESS	NOMINAL WEIGHT
	in.	lbs./ft.
HSS 22" x 22" x 1"	0.930	277.07
HSS 22" x 22" x 7/8"	0.814	244.88
HSS 22" x 22" x 3/4"	0.698	212.00
HSS 22" x 22" x 5/8"	0.581	178.41
HSS 22" x 22" x 1/2"	0.465	144.13
HSS 20" x 20" x 1"	0.930	249.85
HSS 20" x 20" x 7/8"	0.814	221.06
HSS 20" x 20" x 3/4"	0.698	191.58
HSS 20" x 20" x 5/8"	0.581	161.40
HSS 20" x 20" x 1/2"	0.465	130.52
HSS 20" x 20" x 3/8"	0.349	98.94
HSS 18" x 18" x 1"	0.930	222.63
HSS 18" x 18" x 7/8"	0.814	197.24
HSS 18" x 18" x 3/4"	0.698	171.16
HSS 18" x 18" x 5/8"	0.581	144.39
HSS 18" x 18" x 1/2"	0.465	116.91
HSS 18" x 18" x 3/8"	0.349	88.73
HSS 16" x 16" x 1"	0.930	195.40
HSS 16" x 16" x 7/8"	0.814	173.43
HSS 16" x 16" x 3/4"	0.698	150.75
HSS 14" x 14" x 1"	0.930	168.18
HSS 14" x 14" x 7/8"	0.814	149.61
HSS 14" x 14" x 3/4"	0.698	130.33
HSS 12" x 12" x 3/4"	0.930	140.96
HSS 10" x 10" x 3/4"	0.698	89.50

SHAPE 	DESIGN WALL THICKNESS	NOMINAL WEIGHT
	in.	lbs./ft.
HSS 34" x 10" x 1"	0.930	277.07
HSS 34" x 10" x 7/8"	0.814	244.88
HSS 34" x 10" x 3/4"	0.698	212.00
HSS 34" x 10" x 5/8"	0.581	178.41
HSS 30" x 10" x 1"	0.930	249.85
HSS 30" x 10" x 7/8"	0.814	221.06
HSS 30" x 10" x 3/4"	0.698	191.58
HSS 30" x 10" x 5/8"	0.581	161.40
HSS 30" x 10" x 1/2"	0.465	130.52
HSS 24" x 12" x 1"	0.930	222.63
HSS 24" x 12" x 7/8"	0.814	197.24
HSS 24" x 12" x 3/4"	0.698	171.16
HSS 24" x 12" x 5/8"	0.581	144.39
HSS 24" x 12" x 1/2"	0.465	116.91
HSS 24" x 12" x 3/8"	0.349	88.73
HSS 20" x 12" x 1"	0.930	195.40
HSS 20" x 12" x 7/8"	0.814	173.43
HSS 20" x 12" x 3/4"	0.698	150.75
HSS 20" x 8" x 1"	0.930	168.18
HSS 20" x 8" x 7/8"	0.814	149.61
HSS 20" x 8" x 3/4"	0.698	130.33
HSS 18" x 6" x 3/4"	0.698	109.91
HSS 16" x 12" x 1"	1.000	168.18
HSS 16" x 12" x 7/8"	0.814	149.61
HSS 16" x 12" x 3/4"	0.698	130.33
HSS 16" x 8" x 7/8"	0.814	125.79
HSS 16" x 8" x 3/4"	0.698	109.91
HSS 14" x 10" x 7/8"	0.814	125.79
HSS 14" x 10" x 3/4"	0.698	109.91

JUMBO HSS ROUND

SHAPE 	OD	NOMINAL WALL THICKNESS	DESIGN WALL THICKNESS
	in.	lbs./ft.	
HSS 28" x 1.000"	28	1.000	0.930
HSS 28" x 0.875"	28	0.875	0.814
HSS 28" x 0.750"	28	0.750	0.698
HSS 28 x 0.625"	28	0.625	0.581
HSS 28" x 0.500"	28	0.500	0.465
HSS 24" x 1.000"	24	1.000	0.930
HSS 24" x 0.875"	24	0.875	0.814
HSS 24" x 0.750"	24	0.750	0.698
HSS 24" x 0.625"	24	0.625	0.581
HSS 24" x 0.500"	24	0.500	0.465
HSS 24" x 0.375"	24	0.375	0.349
HSS 20" x 1.000"	20	1.000	0.930
HSS 20" x 0.875"	20	0.875	0.814
HSS 20" x 0.750"	20	0.750	0.698
HSS 18" x 1.000"	18	1.000	0.930
HSS 18" x 0.875"	18	0.875	0.814
HSS 18" x 0.750"	18	0.750	0.698
HSS 16" x 1.000"	16	1.000	0.930
HSS 16" x 0.875"	16	0.875	0.814
HSS 16" x 0.750"	16	0.750	0.698
HSS 14" x 1.000"	14	1.000	0.930
HSS 14" x 0.875"	14	0.875	0.814
HSS 14" x 0.750"	14	0.750	0.698
HSS 12.75" x 0.875"	12.75	0.875	0.814
HSS 12.75" x 0.750"	12.75	0.750	0.698

OTHER AVAILABLE PRODUCTS AND GRADES

Pipe and Tubing

Carbon	J524	CDS
	J525	W&D
	J356	ERW
	A254	Bundyweld
	ST52.3	DOM,HFS
	ST37.2	DOM
Alloy	4130	NORM,SRA,HT,HFS,CDS, Structurals
	4140	CDS,NORM,SRA,HT,HFS
	4340	CDS,NORM,SRA,HT,HFS
	8620	CDS,SRA,HFS
	52100	HFS,ANN,CDS
Aluminum	1100	DRN
	2024	DRN,EX,Structural
	5086	DRN,EX,SMLS
	7075	DRN,EX

OTHER SIZES AND LENGTHS

At Chatham we carry the common as well as the difficult to find Hollow Structural Steel sizes in incremental lengths. In many sizes, we stock the following lengths: 28', 32', 36', 40', 44', 48', 52', or 60'. We are constantly adding additional HSS sizes and lengths so be sure to inquire for your specific job requirements. We will nest your lengths with our inventory and make you a cut sheet with your piece marks or cut it to length and piece mark them for you. Let us minimize your waste on your HSS requirements.

